


ACU SIP – LMR Channel Bank

Overview –

- Seamless interfaces up to 12 radios to an IP based network using BSI-Compliant SIP
- Enables communications between radios and network communications devices such as SIP phones and softphones
- Provides radio networks all of the features available with SIP
- Enables interoperable communications among disparate radio systems via PBX conference call



Advantages –High port density – up to 12 channels in single Rack Unit (1U) high aluminum rackmount case

- Local handset can be connected to any channel – assists setup and maintenance
- Industry leading DSP technology


Past Performance –

- Built on proven ACU-5000 technology

Features/Benefits –

- Conforms to Standards-Based SIP Protocol services
- 4 to 12 RoIP to LMR Channels (can be updated in the field)
- Onboard radio templates
- Web Browser-Based control and configuration
- Sophisticated DSP algorithms for improved radio interfaces
- Compatible with hundreds of standard ACU Radio Interface Cables
- Front and Rear LAN Ethernet Connections (RJ-45)
- Fully compatible with Cisco Unified Communications Manager/Call Manager Express

Web Browser-Based Configuration



EXCLUSIVE REPRESENTATIVE:





PHASE Engenharia Ind. e Com. Ltda.

Av. Olegário Maciel 231, Lojas 101 a 105
Barra da Tijuca | Rio de Janeiro, RJ | CEP 22 621 200
Tel +55.21.2493.0125

Av. Ibirapuera 2.907, Conj. B306 & 7 - Ed. Conv. Corp. Plaza – Torre C
Indianópolis | São Paulo-SP | CEP 04029-200
Tel +55 11 3589-0125

phase@phase.com.br | www.phase.com.br